

MPD
audio



ANTI-VIBRATION SPEAKER STANDS

ROGOZ audio

Rogoz Audio manufactures specialist anti-vibration furniture: audio stands, speaker stands, and platforms. Our offer is aimed primarily at audiophiles, music lovers, and music business professionals, as well as all those who appreciate high quality of sound and design. Our ultimate goal is creating products eliminating interference between audio components to make it possible for every audio system to reach its maximum effectiveness so that the listeners will enjoy the best possible sound quality.

The furniture and anti-vibration accessories are designed for top quality audio components. A whole structure has been tuned by means of special blending of alloy steel and high carbon content steel. Decoupling and high-precision leveling is achieved by means of adjustable anti-vibration spikes. Some furniture incorporates soft anti-vibration pads to separate parts of the overall structure.

A unique feature of our company is extreme flexibility. Certain modifications are possible and as a result each product is manufactured on a made-to-order basis. Alterations of our standard products are priced individually. Possible changes involve:


- all sizes
- the kind of frames of audio and speaker stands
- the kind of tops and shelves of audio stands
- the shape of speaker stand tops
- the kind of decoupling
- colors

BBS SYSTEM

The structure of some audio stands incorporates a new proprietary Rogoz Audio antivibration system, BBS (Balancing Board System, Patent P.404137). The system consists of a threaded, height-adjustable spike made of high-fiber-content steel alloy, on top of which two elements are placed, each with an inner bearing. An intermediary (middle) element is made of carbon fiber and supports another element, a steel bearing inserted into the shelf. Point contact between the steel spike and the carbon intermediary element prevents movement of either element relative to its axis, but it allows pendular motion. Meanwhile, the contact between the intermediary element and the bearing inserted into the shelf allows restricted rolling motion and sliding motion. Consequently, the advantages of spike point support (contact area has been minimized and kinetic energy turns into heat) have been combined with the effects of deadening vibrations owing to sliding friction and rolling resistance.



**BOARD BALANCING INVOLVES
HORIZONTAL PLANE MOVEMENT
IN ALL DIRECTIONS**



NATURAL VENEER USER MANUAL

Wood veneer is a natural product, and its pattern, hue or tint might vary slightly, just like individual same-species trees in a forest differ from one another (depending on their age and environment factors influencing tree growth, like the soil's chemical properties, local climate, sun exposure, etc.) This is why producing every piece of furniture or furniture set covered with wood veneer always requires veneer obtained from the same tree trunk.

If, on a future occasion, one chooses the same kind of veneer to match already existing furniture, there will always be noticeable hue and pattern differences. Those differences usually tend to diminish with the passage of time, due to color darkening and the patina that wood acquires, which are natural processes. Newly laid veneer on furniture undergoes a natural process of darkening caused by sunlight and atmospheric gases - mainly during the first eight weeks. This is especially noticeable with cherry, walnut, and oak veneer, but it can also be present with all other kinds, to various degrees. In the areas

with no light exposure, the veneer will remain lighter. This is the case especially in the early stages of using veneered furniture. While the furniture is being used, it is highly advisable to regularly move around the objects placed on it, in order to obtain a uniform color tone of the veneer (and consequently to avoid light patches shaped like the objects placed on a veneered surface).

Due to the same wood characteristic, it might take quite some time before its hue gets to harmonize with older objects made of the same material. Proper wood care requires soft and slightly damp dust cloth. Veneer must be prevented from long-term exposure to water, so a wet cloth should not be left lying on veneer. Wooden surfaces need to be protected from damage by means of special pads, preventing direct contact with materials that might be harmful from a chemical or mechanical point of view (e.g. coloring materials or sharp-edged objects).

ROGOZ AUDIO ANTI-VIBRATION SPEAKER STANDS



Single-support speaker stands designed for top quality speakers. The design makes it possible to fill the support with ballast or to pull a lead through it. The stands consist of extra-strong legs made of carbon steel S235JR (which is used for load-bearing structures subject to heavy dynamic load, e.g. in cranes) and thick shelves made from 8 mm higher-strength alloy steel S355. Screw-top inlets M12 and M20 enable the legs to be filled with ballast (quartz sand, shot, or conglomerate) or to conceal loudspeaker wires.



TECHNICAL SPECIFICATIONS

- Color: black (matt, fine grain)
- Height: 630 mm
- Weight of a single stand: ca. 14 kg without ballast, up to 22 kg with ballast
- Leg profile: steel pipe (100 mm)
- Top shelf: metal plate 210 x 250 x 8 mm
- Bottom shelf: metal plate 240 x 280 x 8 mm
- Recommended speaker weight: up to 35 kg
- Maximum load (for one stand): 200 kg


SET CONTENTS

One set consists of two stands. Each stand contains:

- 2 bolts to close the ballast chamber (optionally, the chamber might be filled with sand or be used to pull through a lead)
- 3 soft anti-vibration pads for the top shelf
- 4 height-adjustable anti-vibration spikes for the bottom shelf
- 4 anti-scratch disks protecting the floor.



PULLING A LEAD THROUGH THE STAND



modification according to individual requests
size change, kind of frame,
kind of shelves, kind of decoupling

50 kg



including the packaging and pallet



<https://www.rogoz-audio.com>
office@rogoz-audio.com
januszrogoz@yahoo.pl

ROGOZ AUDIO ANTI-VIBRATION SPEAKER STANDS





Single-support speaker stands designed for top quality speakers. Shelf shape can be adjusted to match any speakers of your choice. It is enough for you to draw and send in an outline of the base of your speakers (if they are not cuboidal). The design makes it possible to fill the support with ballast or to pull a lead through it. The stands consist of extra-strong legs made of carbon steel S235JR (which is used for load-bearing structures subject to heavy dynamic load, e.g. in cranes) and thick shelves made from 8 mm higher-strength alloy steel S355. Screw-top inlets M12 and M20 enable the legs to be filled with ballast (quartz sand, shot, or conglomerate) or to conceal loudspeaker wires.

TECHNICAL SPECIFICATIONS


- Color: white (glossy)
- Height: 600 mm
- Weight of a single stand: ca. 14 kg without ballast, up to 20 kg with ballast
- Leg profile: steel pipe (90 mm)
- Top shelf: metal plate 314 x 219 x 8 mm
- Bottom shelf: metal plate 334 x 239 x 8 mm
- Recommended speaker weight: up to 35 kg
- Maximum load (for one stand): 150 kg

SET CONTENTS

- One set consists of two stands. Each stand contains:
- 2 bolts to close the ballast chamber (optionally, the chamber might be filled with sand or be used to pull through a lead)
 - 3 soft anti-vibration pads for the top shelf
 - 4 height-adjustable anti-vibration spikes for the bottom shelf
 - 4 anti-scratch disks protecting the floor.



PULLING A LEAD THROUGH THE STAND



modification according to individual requests
size change, kind of frame,
kind of shelves, kind of decoupling

50 kg



including the packaging and pallet



<https://www.rogoz-audio.com>
office@rogoz-audio.com
januszrogoz@yahoo.pl

ROGOZ AUDIO ANTI-VIBRATION SPEAKER STANDS



Quadruple-support speaker stands, with individually defined size specifications, designed for high quality speakers (including all Harbeth models). The stands consist of extra-strong legs made of carbon steel S235JR (which is used for load-bearing structures subject to heavy dynamic load, e.g. in cranes), which have been connected by means of two techniques (TIG and muffling glueing) to thick shelves made from 8 mm higher-strength alloy steel S355.



TECHNICAL SPECIFICATIONS

- Color: black (matt, fine grain)
- Height: 650 mm
- Weight of a single stand: ca. 25 kg without ballast, up to 40 kg with ballast
- Legs: 4 steel profiles 80/80 mm
- Top shelf: metal plate 180 x 240 x 8 mm
- Bottom shelf: metal plate 180 x 240 x 8 mm
- Recommended speaker weight: up to 130 kg
- Maximum load (for one stand): 300 kg

SET CONTENTS

One set consists of two stands. Each stand contains:

- 4 bolts to close the ballast chamber (optionally, the chamber might be filled with quartz sand)
- 3 soft anti-vibration pads for the top shelf
- 4 height-adjustable anti-vibration spikes for the bottom shelf
- 4 anti-scratch disks protecting the floor.



modification according to individual requests
size change, kind of frame,
kind of shelves, kind of decoupling

80 kg



including the packaging and pallet



<https://www.rogoz-audio.com>
office@rogoz-audio.com
januszrogoz@yahoo.pl

ROGOZ AUDIO ANTI-VIBRATION SPEAKER STANDS



Podstawy antywibracyjne jednopodporowe, o wymiarach i wykończeniu indywidualnie dopasowywanych do różnych kolumn głośnikowych. Na zdjęciach prezentowana jest wersja przeznaczona do kolumn KEF Reference 1.

Standy składają się z grubościennych nóg typu sandwich (MDF/HDF) pokrytych drewnem rosewood, przez których całą wysokość prowadzone są 4 rdzenie metryczne ze stali węglowej S235JR łączące je z grubymi blatami wykonanymi z dwunastomilimetrowej stali stopowej o podwyższonej wytrzymałości S355. Pręty umożliwiają regulację sił ściskających i rozciągających działających pomiędzy blatami a nogami. Blaty dolne zaopatrzone są w regulowane stożki antywibracyjne wykonane ze stali NZ3 o podwyższonej zawartości krzemu, oraz w podkładki separujące i zabezpieczające podłogę, wykonane z tego samego materiału.


TECHNICAL SPECIFICATIONS

- Color: black (matt, fine grain)
- Height: 650 mm
- Weight of a single stand: ca. 25 kg without ballast, up to 40 kg with ballast
- Legs: 4 steel profiles 80/80 mm
- Top shelf: metal plate 180 x 240 x 8 mm
- Bottom shelf: metal plate 180 x 240 x 8 mm
- Recommended speaker weight: up to 130 kg
- Maximum load (for one stand): 300 kg

SET CONTENTS

One set consists of two stands. Each stand contains:

- 4 bolts to close the ballast chamber (optionally, the chamber might be filled with quartz sand)
- 3 soft anti-vibration pads for the top shelf
- 4 height-adjustable anti-vibration spikes for the bottom shelf
- 4 anti-scratch disks protecting the floor.



modification according to individual requests
size change, kind of frame,
kind of shelves, kind of decoupling

70 kg



including
the packaging
and pallet



<https://www.rogoz-audio.com>
office@rogoz-audio.com
januszrogoz@yahoo.pl